



higher education & training

Department:
Higher Education and Training
REPUBLIC OF SOUTH AFRICA

Ingwe TVET College



Skill the nation and let everyone prosper

PO Box 92491 Mt Frere 5090

Enquires: A. Madukuda

Tel: 039 940 2142

Fax: 039 255 0347

Dear Sir / Madam

REQUEST FOR FORMAL WRITTEN PRICE QUOTATIONS

Kindly furnish me with a written quotation for the provision of services as detailed in the enclosed specification.

The quotation must be submitted on the letterhead of your business and **must** be hand delivered (**ONLY**) before 12h00pm on the 28 June 2018 at **Ingwe TVET College, Administration Centre, Mt Frere** where quotations will be opened in public.

For more enquiries:

For Technical Enquiries: Mr. O. Hanise

Tel: 039 940 2142

Finance Department: Ms. A. Madukuda

Tel: 039 940 2142

ADVERT FOR SUPPLY, DELIVERY AND ERECTION OF PREFABRICATED STRUCTURE AT SITETO CAMPUS: INGWE/079/2018

The following mandatory documents must be submitted with the quotation and failure to submit will lead to the bids being declared non-responsive:

- Price(s) quoted must be valid for at least thirty (30) days from date of your offer.
- Price(s) quoted must be firm and must be inclusive of VAT.
- A valid Tax Clearance certificate or SARS TAX compliance status with pin.
- Certified copies of Company Registration certificate and IDs
- Certified Copy of BBBEE certificate/ sworn affidavit certified from SAPS.
- 80/20 preferential procurement point system will be applied
- Firm Delivery Period must be indicated
- Proof of CSD registration
- Completed SBD 4, SBD8 and SBD 9 on request from Supply Chain Office
- A successful bidder is required to submit original tax clearance certificate,
- A municipal statement of account that is not older than 3 (Three) months or Lease Agreement or affidavit from SAPS stating that the bidder is not obliged to pay municipal rates or a letter from a ward councilor

NB: No quotations will be considered from persons in the service of the state¹


BIDDERS SHOULD TAKE NOTE OF THE FOLLOWING BID CONDITIONS:

- Ingwe TVET College Supply Chain Management Policy will apply;
- Ingwe TVET College does not bind itself to accept the lowest bid or any other bid and reserves the right to accept the whole or part of the bid;
- DO NOT USE CORRECTION FLUID as this may invalidate your submission;
- Bids which are late, incomplete, unsigned or submitted by facsimile or electronically, will not be accepted;
- Bidders will be required to register as a supplier/service provider on the Ingwe TVET College Supplier/Service Provider Database, if not already registered

Failure to comply with these conditions may invalidate your offer.

Yours faithfully

SIGNATURE



DATE

21/06/2018

SPECIFICATION (attached)

Evaluation Criteria for this procurement will be as follows:

- Price Points = 80
- BBBEE verification level points = 20
- TOTAL = 100

LEVEL	POINTS AWARDED
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non - compliant	0

DELIVERY ADDRESS:

ADMIN CENTRE
BADIBANISE LOCATION A/A
MOUNT FRERE
5090

Published on the 21 June 2018



higher education & training

Department:
Higher Education and Training
REPUBLIC OF SOUTH AFRICA

Ingwe TVET College



Skill the nation and let everyone prosper

PO Box 92491 Mt Frere 5090

Enquires: Otto Hanise

Tel: 039 255 0346

Fax: 039 255 0347

DATE : 21/06/2018

SUBJECT : VOLUMETRIC BUILDINGS- TECHNICAL SPECIFICATION

Chassis


Chassis' are constructed to run the full length and width of the building, two 200x 75x20x3mm cold formed lip channel longitudinal main members run centrally the length of the building at 1640mm centres. 75x50x20x2.5mm cold formed lip channel cross members are structurally welded at 600mm centres spanning the width of the building, spans can be reduced to 400mmcentres in order to increase the floor loading where required and in all residential units. All cross members are supported by 40x40x3mm angle iron which span between the edge of the cross member and welded to the main member. All single and double wide units are fitted with screw jacks for easy levelling as standard, but tripod stands can be used where ground is uneven. All steelwork is protected with pre painted red oxide primer and sprayed with F147 black latex paint.

Floor Construction

18mm exterior hardwood (WBP) ply floorboard is fixed onto the cross members with 12x45mm counter sunk galvanized wingtex screws. The floorboard is constructed with 7 ply layers bonded under heat and hydraulic pressure using exterior grade adhesive as stipulated under SANS 929:2008.

Roofing

Roofing panels are made complete with roof trusses already fixed in place. Timber trusses are made for single and double wide units while steel is used for larger multi span units. All timber used is treated in accordance SANS 1288, lattice beams utilized in double wide units are manufactured from 40x40x3mm angle iron.




Signed By Otto

(Facilities / Maintenance)

Specification

THIS DESIGN & DRAWING IS THE SOLE PROPERTY OF INGWE COLLEGE AND MAY NOT BE COPIED IN PART OR WHOLE. COPYRIGHT RESERVED.



NOTES

1. LOOSE FURNITURE SHOWN FOR ILLUSTRATION PURPOSES ONLY.

WALL FINISHES	DOORS	WINDOWS	ELECTRICAL	ELECTRICAL	ABLUTION
EXT. - CHROMADEK	Y EXT. CHROMADEK	2 500x500	LIGHT SWITCH	Y SINGLE PLUG	TOILET
EXT. - LOG	EXT. MERANTI	600x900	SGL. FLUORESCENT	DOUBLE PLUG	16 WASH HAND BASIN
INT. - CHROMADEK	Y EXT. SLIDING DOOR	900x900	DBL. FLUORESCENT	10 COMPUTER PLUG	BATH
INT. - OAK PLY	EXT. ALUMINIUM	900x1200	BOWL LIGHT	DATA/TEL PLUG	SHOWER
INT. - WALLPAPER	INT. CHROMADEK	2 1100x300	NMWD EXT. LIGHT	AIR CON. ISOLATOR	URINAL
FLOORING	INT. CATERPRINT	1100x900	CEILING FAN	GEYSER ISOLATOR	SINGLE BOWL SINK
INDUSTRIAL VINYL	Y INT. SLIDING DOOR	1100x1200	12 DOWNLIGHTERS	GEYSER LTR	DOUBLE BOWL SINK
DOMESTIC VINYL	BURGLAR GATE	1500x800	ZE1482 INT. LIGHT		
CARPET		1500x1200	1/2/3 TIER P/SKIRTING		
TILES	STEPS REQUIRED		SLIDING / TOP HUNGS	220V	Y 380V 3φ

CUSTOMER: INGWE TVET COLLEGE

DRAWING NO: D-911-9/1034+665034-DWDL-16 REV: A

DRAWN: DW CHECKED: DATE: 22-06-2018

SCALE: AFS SALES PERSON: DATE: 21/06/2018

CLIENT SIGN: *[Signature]*